

Healthsource 5.12 TrayApp Updates Job Aid

Introduction





HealthSource 5.12 (release date 4/8/2022) contains an update to the TrayApp. The TrayApp will update automatically for most users, with or without Administrator access/permissions.

This document provides instruction on how to proceed if the TrayApp does not automatically update including:

- How to manually update the TrayApp
- How to continue working with the previous TrayApp

Automatic Update Success

Complete the following steps to successfully auto-update the TrayApp.


Step	Action
1	Log into HealthSource Clarity.
2	<p>The TrayApp update pop-up window will appear.</p> <p>Click Install.</p> 
3	<p>The uploading progress pop-up window will appear.</p> 
4	<p>A HealthSource Notification will appear at the bottom right of your screen when installed.</p> 
5	Log back into HealthSource Clarity.
6	<p>Verify successful auto-update by hovering the mouse over the TrayApp icon.</p>  <p>The TrayApp icon will be green. The Status will be Connected. The Build will be 2.6.4.0</p>

Continued on next page


Healthsource 5.12 TrayApp Updates Job Aid, Continued

Automatic Update Failure

If the TrayApp does not automatically update upon login, the following progress pop-up window may appear.



When logged into HealthSource, the TrayApp icon located on the top right of screen will display a red circle with a white x.







Manual TrayApp Installation



If the TrayApp does not automatically update, it can be installed from the Ciox *Company Portal* by searching for Healthsource TrayApp. If you do not have access to the Ciox *Company Portal*, complete the following steps to manually install.




Note: User Administrator access is **required** for manual installation.

Step	Action
1	Log out of HealthSource Clarity.
2	Click the  icon located bottom right of your desktop. 
3	Right Click the TrayApp icon and select Shutdown . 
4	Copy c:\HealthSource-Unity and paste in the Windows search field located bottom left of your desktop. 

Continued on next page

Healthsource 5.12 TrayApp Updates Job Aid, Continued

Manual TrayApp Installation, continued
 Error! Not a valid bookmark self-reference.

Step	Action
5	Right click on the “HealthSource-Unity-TrayApp-uninstall” then click Run as Administrator. 
6	Let uninstall complete. Click Close once completed.
7	Click the following link. The .exe file will download automatically.  http://download.healthport.com/download/Unity_Install_Files/current/healthsource-unity-launcher.exe Note: It may take a couple of minutes to download the file.
8	Locate the .exe file in your downloads folder.
9	Right click “ healthsource-unity-launcher ” file that was downloaded and then click Run as Administrator . 
10	Once complete, the TrayApp will restart.










Note: If you are unsuccessful with the manual installation, contact the Ciox Solutions Center, or your Facility’s IT department if your machine is managed by the facility.

Continued on next page

Healthsource 5.12 TrayApp Updates Job Aid

Continue Working with Previous TrayApp Version

If the TrayApp does not automatically update and you are not able to manually install, you can continue to work using the previous TrayApp version by completing the following steps:

Step	Action
1	Log out of HealthSource Clarity.
2	Click the  icon located bottom right of your desktop. 
3	Right click the TrayApp icon and select Restart .  
4	Log back into HealthSource Clarity. The TrayApp update pop-up will appear. Do Not Click Install.  
5	Click the refresh button in the browser URL to bypass the TrayApp update pop-up window. Refresh button in Chrome.  Refresh button in Internet Explorer  Refresh button in Edge 



Important: Installation of the TrayApp will be required by **4/22/22**. Please work with the Ciox Solutions Center, or your Facility's IT department if your machine is managed by a facility.